



AP120 INDOOR ACCESS POINT



2x2 MIMO, 802.11ac Wave 1 support
Gigabit Ethernet port, 4 integrated antennas, PoE power

WatchGuard's AP120 delivers enterprise-grade functionality at a fraction of the cost for networks designed for heavy smartphone and table access such as guest or public Wi-Fi envoronments, or smaller-footprint locations that support a limited number of devices. The AP120 is ideal for branch offices, stores, and small classrooms.

"Being able to supply secure, reliable, high capacity Wi-Fi to guests, visitors, and event attendees at speeds far greater than 54 Mbps has been transformative"

~ Fayaz Khan, IT Manager, Kensington Close Hotel

FLEXIBLE MANAGEMENT OPTIONS

You can manage AP120 access points with either a Firebox®, via the Gateway Wireless Controller with lightweight feature set, or with WatchGuard's Wi-Fi Cloud. And with the Wi-Fi Cloud you get an expanded set of features including strong WIPS security, marketing tools, and location-based analytics for optimal business insights.

PERFORMANCE WITHOUT COMPROMISE

Incorporating the latest 802.11ac standards, you'll have speeds of up to 866 Mbps over the air, without sacrificing security. When managed by the Wi-Fi Cloud, WatchGuard APs come standard with RF optimization, spectrum monitoring, and trouble-shooting built in.

UNIOUELY EFFECTIVE APPROACH TO SECURITY

Using patented Marker Packet technology, WatchGuard's cloud-managed WIPS (Wireless Intrusion Prevention System) defends your airspace from unauthorized devices, manin-the-middle and denial-of-service attacks, rogue APs and more. As a dedicated WIPS sensor, the AP120 can be added to any existing Wi-Fi network for a powerful layer of patented security features simply unavailable in most AP devices.

ADVANTAGES OF CLOUD-BASED MANAGEMENT

WatchGuard's secure cloud-managed APs deliver the most comprehensive set of features for the price – including marketing tools for customizable user engagement and location-based analytics for enhanced business insights. With the WatchGuard Wi-Fi Cloud, IT pros can enjoy an entirely controller-less Wi-Fi management experience including setup, configuration, monitoring, troubleshooting, and improving corporate and guest Wi-Fi access, without worrying about the limitations of legacy controller infrastructure. Wi-Fi Cloud environments easily scale from one to an unlimited number of APs across multiple locations. APs can be grouped in many ways including location, building, floor, and customer to maintain consistent policies.

FEATURES & BENEFITS

- AP120 delivers enterprise-grade security and performance at a very affordable price point.
- Horizontal (ceiling) or vertical (wall) mounting support included at no additional cost.
- Wi-Fi Cloud-enabled APs include integrated firewall, traffic shaping, QoS and BYOD controls per SSID
- Support for up to 8 individual SSIDs per radio allows for maximum flexibility in network design.
- AP120 devices can be converted to a dedicated security sensor with a single click for maximum wireless protection.
- Patented Marker Packet technology is used to accurately detect authorized, unauthorized, and external access points on any network with the fewest false positives in the industry.
- Supports self-healing and bridge-mode wireless meshing for optimal installation scenarios.



PHYSICAL SPECIFICATIONS Property Specification Physical Dimensions 210 mm x 210 mm x 67 mm Weight 3.22 lb. (1.46 kg) Operating Temperature -20°C to 55°C (-4°F to 131°F) (5.0 G) Storage Temperature -40°C to 70°C (-40°F to 158°F) Front View Humidity 5% to 95% non-condensing Max: 10W Power Consumption Min: 5.7W Average: 7.5W



Port	Description	Connector Type	Speed/Protocol
Power	This is a 12V DC input jack that can be used to power the device.	3.5 mm barrel	N/A
LAN1	Gigabit Ethernet port used to connect to the wired LAN and communicate with the WatchGuard Cloud or Server. This port can also be used to power the device using the 802.3af Power over Ethernet (PoE) standard.	RJ-45	10/100/1000 Mbps Gigabit Ethernet 802.3af Class 0 PoE PoE input voltage: 48V
Reset	Reset to factory default settings	Pin-hole push-button	Hold down and power cycle the device to



WI-FI SPECIFICATIONS — Frequency, Modulation, and Data Rates IEEE 802.11b/g/n Scanning Transmission USA & Canada Europe Frequency Band All regions (FCC/IC) (ETSI) 2400 ~ 2483.5 MHz 2400 ~ 2473.5 MHz 2400 ~ 2483.5 MHz Modulation Type DSSS, OFDM Data Rates Up to 450 Mbps (MCS 0-23) with automatic rate adaptation Integrated modular high efficiency PIFA omnidirectional antenna Antenna

IEEE 802.11a/n/ac			
Frequency Band	Scanning	Transmission	
	All regions	USA & Canada (FCC/IC)	Europe (ETSI)
	4.92 ~ 5.08 GHz 5.15 ~ 5.25 GHz 5.25 ~ 5.35 GHz 5.47~ 5.725 GHz 5.725~ 5.825 GHz	5.15 ~ 5.25 GHz 5.25 ~ 5.35 GHz 5.725~ 5.82 5GHz	5.15 ~ 5.25 GHz 5.25 ~ 5.35 GHz 5.47~ 5.725 GHz
Dynamic Frequency Selection	DFS and DFS2		
Modulation Type	OFDM		
Data Rates	Up to 866 Mbps (MCS 0-9) for 11ac with automatic rate adaptation Up to 300 Mbps (MCS 0-23) for 11n with automatic rate adaptation		
Antenna	Integrated modular high efficiency PIFA omnidirectional antenna		



Maximum Transmit Power

For 5GHz		
MCS Index	Transmit Power(dBm)	
802.11a (legacy)		
6Mbps - 24Mbps	20	
36Mbps	20	
48Mbps	18	
54Mbps	17	
802.11n HT20 (legac	y)	
MCS 0,1,2,3,4	20	
MCS 5,6,7	17	
MCS 8	15	
802.11n HT40		
MCS 0,1,2,3,4	20	
MCS 5,6,7	17	
MCS 8,9	15	
802.11ac 256QAM VHT80		
MCS 0,1,2,3,4	20	
MCS 5,6,7	17	
MCS 8,9	15	

N	U,	tم٠
1 1	v	ıc.

The actual transmit power will be the lowest of:

- Value specified in the Device Template
- Maximum value allowed in the regulatory domain
- Maximum power supported by the radio

For 2.4GHz		
MCS Index	Transmit Power(dBm)	
802.11b (legacy)		
1Mbps - 11Mbps	20	
802.11g (legacy)		
6Mbps - 24Mbps	20	
36Mbps	20	
48Mbps	20	
54Mbps	20	
802.11n HT20 (legacy)		
MCS 0,1,2,3,4,5,8,9,10,11,12,13	20	
MCS 6,7,14,15	18	
802.11n HT40		
MCS 0,1,2,3,4,5,8,9,10,11,12,13	20	
MCS 6,7,14,15	18	

Country-Wise Max Transmit Powers (dBm)		
Countries	2.4GHz	5Ghz
Australia	20	23
Canada	30	23
India	20	20
Israel	20	20
Japan	20	20
UAE	20	17
USA	20	23



Receive Sensitivity

For 5GHz	
MCS Index	Receive Sensitivity
802.1	1a (legacy)
6Mbps	-89
54Mbps	-72
802.11n	HT20 (legacy)
MCS 0/8	-89
MCS 7/15	-69
802.11n HT40	
MCS 0/8	-87
MCS 7/15	-66
802.11ac	
VHT20 MCS0	-87
VHT20 MCS8	-66
VHT40 MCS0	-85
VHT40 MCS9	-61
VHT80 MCS0	-84
VHT80 MCS9	-58


For 2.4GHz	
MCS Index	Receive Sensitivity
	802.11g (legacy)
1Mbps	-92
6Mbps	-89
11Mbps	-84
54Mbps	-72
802.11n HT20 (legacy)	
MCS 0/8	-89
MCS 7/15	-69
802.11n HT40	
MCS 0/8	-87
MCS 7/15	-66





INTERNAL ANTENNA RADIATION PATTERNS

2.4 GHz


Antenna 1









Antenna 2










5 GHz


Antenna 1









Antenna 2









Access Point Security Modes:

- WPA/WPA2 (802.11i) with TKIP or AES-CCMP encryption and PSK or 802.1x authentication
- Integrated WIPS background wireless scanning and Rogue AP prevention

WIPS Sensor Mode:

• Dedicated dual-band WIPS scanning for complete 24/7 protection from wireless threats

REGULATORY SPECIFICATIONS

RF and Electromagnetic		
Country	Certification	
USA	FCC Part 15.247, 15.407	
Canada	IC	
Europe	CE EN300.328, EN301.893 Countries covered under Europe certification: Austria, Belgium, Cyprus, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Iceland, Luxembourg, Latvia, Lithuania, Malta, Netherlands, Norway, Poland, Portugal, Spain, Sweden, Slovakia, Slovenia, Switzerland, The Czech Republic, UK.	

Safety		
Country	Certification	
USA	UL 60950	
Canada	cUL 60950	
European Union (EU)	EN 60950, RoHS	



ORDERING INFORMATION

Access Point	
Part Number	Description
WGA12723	WatchGuard AP120 and 3-yr Total Wi-Fi Total Wi-Fi Includes Wi-Fi Cloud license, Standard Support, WIPS, Engage Captive Portals, Analyze Location Analytics, and Go Mobile Web App
WGA12721	WatchGuard AP120 and 1-yr Total Wi-Fi Total Wi-Fi includes Wi-Fi Cloud license, Standard Support, WIPS, Engage Captive Portals, Analyze Location Analytics, and Go Mobile Web App
WGA12733	WatchGuard AP120 and 3-yr Secure Wi-Fi Secure Wi-Fi includes Wi-Fi Cloud license, Standard Support, and WIPS
WGA12731	WatchGuard AP120 and 1-yr Secure Wi-Fi Secure Wi-Fi includes Wi-Fi Cloud license, Standard Support, and WIPS
WGA12703	WatchGuard AP120 and 3-yr Basic Wi-Fi Basic Wi-Fi includes Fireware Gateway Wireless Controller license and Standard Support
WGA12701	WatchGuard AP120 and 1-yr Basic Wi-Fi Basic Wi-Fi includes Fireware Gateway Wireless Controller license and Standard Support

Power Options	
Part Number	Description
WG8599 (US)	WatchGuard 802.3at PoE+ Injector with AC cord (US)
WG8600 (EU)	WatchGuard 802.3at PoE+ Injector with AC cord (EU)
WG8601 (UK)	WatchGuard 802.3at PoE+ Injector with AC cord (UK)
WG8602 (AU)	WatchGuard 802.3at PoE+ Injector with AC cord (AU)
WG8016	Power Supply for WatchGuard AP120/AP320

Mounting Options				
Part Number	Description			
WG8017	Ceiling Mount Kit Ceiling Mount Kit for WatchGuard AP120			





WATCHGUARD HAS YOU COVERED, INDOORS AND OUT

No matter what your wireless battleground is – remote offices, guest Wi-Fi, corporate access, public hotspots, outdoor environments – WatchGuard has a range of access points to fit your business needs. WatchGuard's Wi-Fi packages allow you to quickly and easily find the right set of features your business needs today...and tomorrow.

WatchGuard Wi-Fi Solution	Total Wi-Fi	Secure Wi-Fi	Basic Wi-Fi
Management Platform	Wi-Fi Cloud	Wi-Fi Cloud	Firebox Appliance*
Scalability Number of managed access points.	Unlimited	Unlimited	Limited**
Configuration and Management SSID configuration with VLAN support, band steering, smart steering, fast roaming, user bandwidth control, Wi-Fi traffic dashboard.	✓	✓	√
Additional Wi-Fi Cloud-Based Management Radio Resource Management, Hotspot 2.0, enhanced client roaming, nested folders for configuration before deployment, integration with 3rd party WLAN controllers.	✓	✓	
Intelligent Network Visibility and Troubleshooting Pinpoint meaningful network problems and application issues by seeing when an anomaly occurs above baseline thresholds and remotely troubleshoot.	✓	✓	
Verified Comprehensive Security A patented WIPS technology defends your business from the six known Wi-Fi threat categories, enabling a Trusted Wireless Environment.	✓	✓	
GO Mobile Web App Quickly and easily set-up your WLAN network from any mobile device.	✓	✓	
Guest Engagement Tools Splash pages, social media integrations, surveys, coupons, videos, and so much more.	✓		
Location-Based Analytics Leverage metrics like footfall, dwell time, and conversion to drive business decisions and create customizable reports.	✓		
Support Hardware warranty with advance hardware replacement, customer support, and software updates	Standard	Standard	Standard
Requires Firebax with active support contract.**20 access points recommended for each Firebax model. For the T-15			

NO NEED TO RIP AND REPLACE, JUST ADD WIPS

Each WatchGuard access point has the flexibility to operate as both an access point and a dedicated WIPS security sensor. This means that when deployed as dedicated WIPS sensors, the devices work with your existing access points (Cisco, Aruba, Ruckus, Ubiquiti, etc) and add enterprise-grade wireless security protection to your network. In this case, instead of delivering secure Wi-Fi traffic to users, we deliver unprecedented WIPS security protection that is 100% dedicated to scanning the air and protecting your business from wireless threats.

For additional details, talk to your authorized WatchGuard reseller or visit https://www.watchguard.com/wifi

About WatchGuard Technologies, Inc.

WatchGuard® Technologies, Inc. is a global leader in network security, secure Wi-Fi, and network intelligence products and services to more than 80,000 customers worldwide. The company's mission is to make enterprise-grade security accessible to companies of all types and sizes through simplicity, making WatchGuard an ideal solution for distributed enterprises and SMBs. WatchGuard is headquartered in Seattle, Washington, with offices throughout North America, Europe, Asia Pacific, and Latin America. To learn more, visit WatchGuard.com.

AP120

